


Product-Specific INSTALLATION & TECH SPECS



PROFILE IDENTIFICATION AND DETAILED DRAWING



PROFILE DIMENSIONS

PROFILE		THICKNESS		LENGTH †		OVERALL WIDTH		NET COVERAGE AFTER OVERLAP		SIDE LAP
mm	inch	mm	inch	m	feet	mm	inch	mm	inch	%
229/16	9/0.6	0.8-1.5	.0306	1.5-11.8	5-39	963	38	914	36	5

† MAXIMUM RECOMMENDED PANEL LENGTH

m	feet
7	24'

While it is technically possible to manufacture and ship the maximum length listed, Palram does not recommend exceeding the length shown at left in order to avoid significant issues related to thermal expansion and contraction.

MAXIMUM ROOF SPAN (INCHES)

Load	.03" (.8 mm	n) thickness	.04" (1.0 mr	n) thickness	.06" (1.5 mm) thickness		
(lb/ft²)	End Span	Mid Span	End Span	Mid Span	End Span	Mid Span	
15	20	27	21	29	25	34	
20	19	25	20	27	24	32	
25	18	24	19	25	21	29	
30	17	22	18	24	20	27	
35	16	21	17	23	19	26	
40	15	20	16	22	19	25	

NOTES ABOUT MAXIMUM ROOF SPANS

- The specified dimensions do not supersede the requirements of local construction codes.
- The given spans are according to deflections criterion of L/20, and minimum slope of 10%.
- The maximum roof spans are based on calculation model and practical testing.
- The mentioned load refers to wind and snow load only.
- For vertical application spans can be increased by 10%.

Continues on back side

PRODUCT:

SUNSKY®

PALRAM PROFILE NAME (a.k.a. Designation)

ASC - NOR-CLAD

9210

PROFILE #

FASTENER AND WASHER SPECIFICATION FOR THIS PROFILE

Self-drilling 1/4" x 11/2" (6.3mm x 38mm) screw with 19mm diameter-galvanized / aluminum / stainless metal washer attached to EPDM rubber gasket of 55 to 65 shore hardness.

Self-drilling 1/4" x 2" (6.3mm x 50mm) screw with 19mm diameter-galvanized / aluminum / stainless metal washer attached to EPDM rubber gasket of 55 to 65 shore hardness.

1/4" x 1" (6.3mm x 25mm) self tapping screw with a 19mm diameter galvanized / aluminum / stainless metal washer attached to EPDM rubber gasket of 55 to 65 shore hardness.

FASTENING

- Apply sealing tape over the SUNSKY panel side-lap corrugation crests, where covered by the next panel.
- Apply sealing tape along the bottom and top end-lap (if there is one), along screw center line or tape on both sides of screw center line.
- Pre-drill ³/₈" holes where screws are positioned.
- Fasten the screws according to the fastening illustrations below, starting from the first side-lap through, the pre-drilled holes.
- Fasten the Side Lap Stitching Screws at every 12-16 inches.

- Figure 1: End Purlin fastening schedule using corrugation crest and valley.
- Figure 2: Intermediate Purlin fastening schedule using crest and valley fastening.
- Figure 3: Side Lap Stitch Screw in between purlins so that 12-16 inch spacing can be achieved.






DO NOT OVER-TIGHTEN!


Washers should be perpendicular to purlin, and tightened to the point where they are firmly seated, but not bulging.

FASTENER LOCATIONS FOR THIS PROFILE



PANEL OVERLAP AND OVERHANG

- Recommended longitude overlap of 8" above purlin.
- Each panel to extend 4" over the fixings line on the purlin.
- Panels should overhang a minimum of 2 inches and maximum 6 inches beyond the row of fasteners.



CURVED ROOF APPLICATIONS

Minimum curving radius 50 feet

